


## MDC-3

- HIGH SPL SUBWOOFER
- 3 x 18" NEODYMIUM DRIVER
- 3000 Watts POWER HANDLING
- LOW THERMAL COMPRESSION
- HIGH SPEED PORT GEOMETRY




### PRODUCT FEATURES

The MDC-3 sub is a high SPL subwoofer cabinet designed to provide a sub-bass extension with a solid low end at any level. The cabinet features an innovative 3 x 18" "in line" arrangement in a bandpass design optimizing the SPL to size and weight ratio.

Enclosure internal design and port shape are optimized for high speed air motion and reduce high level port flow compression.

Including three 8 ohms 18" neodymium loudspeakers in parallel, the enclosure can be driven by only one amplifier channel. The cabling allows to link two cabinet with one single NL8 cable, thanks to the "output" connector.



## MDC-3 Sub


### APPLICATION NOTES

- Stadium, arenas, concert hall
- Medium to large theatres and clubs
- Stackable



### TECHNICAL DATA

Frequency response (-10dB single unit)	36 Hz – 160 Hz
Frequency range with preset (-3dB)	30 Hz – 100 Hz
Maximum SPL continuous :	138.3 dB
Maximum SPL peak :	144.3 dB
Loudspeakers :	3 x 18ND9300 18" Neodymium
Power handling AES :	3000 watts
Nominal Impedance :	3 x 8 ohms in parallel
Dimensions :	
	Height 1480 mm
	Width 580 mm
	Depth 920 mm
	Weight : 125 Kg
Finish :	Black Paint
Connectors :	2 x Speakon NL8
Accessories :	4 x Wheels on rear face Front Cover Protection Board



Jack plate link to drive second sub with only one NL8 cable



Specifications are subject to change without notice